



**3/18/2025 Monthly Board Meeting
Table of Contents**

Page(s)	Item
1-2	Agenda Items #8: 2/25/2025 Regular Board Meeting Minutes
3	Agenda Item #9a: Fire Department Report
4	Agenda Item #9b: Constable Report
5	Agenda Item #10: Treasurer Report
6-7	Agenda Item #11: Building Inspector Fee Schedule DRAFT
8-30	Agenda Item #12: Landfill Testing Results



MEETING MINUTES
Town of Peshtigo Monthly Board Meeting
Tuesday, February 25, 2025 at 6 p.m.

- 1) Call to order: **Chairperson Friday** called the meeting to order at 6:00pm.
- 2) Pledge of allegiance
- 3) Roll call: **Supervisor Joy absent.**
4 present: Chairperson Friday, Supervisor Coble, Supervisor Wortner, Supervisor Bergeson
- 4) Verification of proper notice: **Chairperson Friday verified.**
- 5) Approve agenda: **Chairperson Friday amended to remove item #13. With amendment, Wortner motion to approve/Second by Bergeson. Motion carried with 4 yes votes.**
- 6) Public comment, limited to 15 minutes (*in-person attendees only, limited to 3 minutes per person with no time donations from others, agenda items only*), please be prepared to come forward to the table, speak clearly into the microphone, start by stating name/address & agenda item(s) to be addressed: **None heard.**
- 7) Announcements:
 - a. **US 41/Kasal Lane public meeting at Grover Town Hall at 5pm on 2/26.**
 - b. **Tyco & DNR updates on website, under water tab.**
 - c. **Contacts for the EPA \$1.667mil grant reached out to Chairperson Friday to schedule a meeting, but then determined the meeting is not necessary, as Town unable to use funds for testing, POETs, or replacement wells. Funds were obtained for predevelopment work for Water Utility District which Town is not currently moving forward with.**
 - d. **Governor Evers visited the area on 2/4. Chairperson Friday was not made aware of this meeting, so she recommended residents with questions reach out to residents Chuck & Cindy Boyle or Trygve Rhude for updates, as they were in attendance.**
- 8) Minute approval – 1/21/2025 Regular Board Meeting: **Approved via unanimous consent.**
- 9) Reports
 - a. Fire Department: **Assistant Fire Chief Seils gave report. FD fundraiser at Moose Lodge on 3/26 from 5-7pm - public encouraged to attend to support the local FD!**
 - b. Constable: **Chairperson Friday gave report.**
 - c. Building Inspector: **Chairperson Friday gave report. 5 permits issued in January.**
 - d. Marinette County Board: **No representative present.**
- 10) Treasurer Report/Investment Report/Budget YTD vs Actual/Budget Amendments: **Approved via unanimous consent.**
 - a. Approve vouchers & payment of bills: **Chairperson Friday questioned snowplowing invoices, addressed by Naomi Dumke representing Cramer Excavating. Coble motion to approve/Second by Wortner. Motion carried with 4 yes votes.**
- 11) Approval of Class “B” Beer and “Class B” Liquor license for The 1911 Grille, LLC (Kelly Bearson) from 3/1/2025 to 6/30/2025: **Coble motion to approve/Second by Wortner. Motion carried with 4 yes votes.**
- 12) Appoint Martha Maynes to Board of Appeals term ending 1/31/2028: **Friday motion to appoint Martha Maynes/Second by Wortner. Motion carried with 4 yes votes.**
- ~~13) ERS agreement~~
- 14) Plan Commission/Comprehensive Plan update: **Comprehensive Plan Commission meetings were held 2/11 and 2/25. Expected completion of the updated plan between July-August 2025.**

- a. Appoint Michael Fifarek as Alternate 1 term ending 3/31/2028: **Friday motion to appoint Michael Fifarek/Second by Coble. Motion carried with 4 yes votes.**
 - b. Recommended ordinance changes
 - i. Sec. 34-82: **Coble motion to approve/Second by Bergeson. Motion carried with 4 yes.**
 - ii. Chapter 36: **Wortner motion to approve/Second by Coble. Motion carried with 4 yes.**
- 15) Capital Improvement Plan: **No updates.**
- 16) Ad hoc committee updates:
- a. CDBG-CV – Chairperson Friday, Treasurer Maney
 - i. HVAC update: **Construction has started, to be complete by 04/30/2025. Final paperwork due by 06/30/2025. MSA no longer grant administrators.**
 - b. Ordinance/Policy Review – Chairperson Friday, Vice Chairperson Wortner
 - i. Chapter 26 proposed changes: **Coble motion to approve/Second by Wortner. Motion carried with 4 yes votes.**
 - ii. Chapter 50 proposed changes: **Wortner motion to approve/Second by Bergeson. Motion carried with 4 yes votes.**
- 17) Standing Committee Updates:
- a. Buildings & Grounds – Chairperson Coble, Vice Chairperson Bergeson: **Coble updated on Kowalski Walking Trail issues. Reminder that it is not a dog park. There is a privately owned dog park available on Harbor Road.**
 - i. Town Hall reconfiguration: **No updates. Continuing ideas/obtaining quotes.**
 - b. Recycling Center – Chairperson Bergeson, Vice Chairperson Coble: **No updates.**
 - c. Roads & Ditches – Chairperson Wortner, Vice Chairperson Joy: **No updates.**
- 18) Motion & roll call vote to go into CLOSED SESSION pursuant to Wis. Stat. §19.85(1)(g) for the purpose of conferring with legal counsel for the governmental body who is rendering oral or written advice concerning strategy to be adopted by the body with respect to litigation in which it is likely to become involved (MSA). **Friday motion to enter closed session with Clerk and Treasurer present at 6:32pm/Second by Coble. Roll call vote to enter closed session- 4 yes votes.**
- a. Motion & roll call vote to return to Open Session: **Coble motion to return to open session at 6:54pm/Second by Bergeson. Roll call vote to return to open session- 4 yes votes.**
- 19) Action arising from Closed Session: **No action taken.**
- 20) Upcoming Meetings – Regular Board Meeting Tuesday, March 18, 2025
- 21) Motion to Adjourn: **Coble motion to adjourn at 6:55pm/Second by Bergeson. Motion carried with 4 yes.**

Kayla Okins, Clerk, 03/04/2025

**Town of Peshtigo Fire Department Report to the Town Board
March 18, 2025**

Five Calls since the February 25th, 2025 Monthly Town Board meeting:

2/25/25	N2526 Rustic Pine Ln., Carbon Monoxide Alarm
3/12/25	N3407 Rehms Road, EMS Assist
3/17/25	N3407 Rehms Road, EMS Assist
3/17/25	N3210 Riverbend Drive, Cooking Fire - Contained
3/17/25	N3407 Rehms Road, EMS Assist

Apparatus and Equipment Status:

- All apparatus and equipment are in normal operating condition.
- All trucks and equipment have been prepared for the spring grass fire season.
- Our new truck committee has been meeting regularly to work on graphics, cab layout and compartment space needs for our new engine that will be built by Pierce. The fire commission chairperson has been kept informed is engaged with the committee.

Training:

- WI DNR was at our station on Monday, March 10th to provide annual wildland fire refresher training. 14 firefighters attended.
- Nine firefighters will be attending a 20-hour Shipboard Firefighter training class in Marinette over the weekend of March 21-23.

Fire Prevention, Education and Community Involvement:

- Free smoke alarm installation is available to town residents upon request. Contact the Clerk's office or email topfire@townofpeshtigo.org if interested.


Fund Raising & Donations:

- A donation of \$6,000 was just received from War in the Woods Promotions. This will be combined with another donation of \$2,500 from Johnson Controls for the purchase of a Self-Contained Breathing Apparatus (air pack).
- A Lenten Fish Fry fundraiser will be held at the Moose Lodge on Wednesday, March 26th. Food will be served from 5:00 pm to 7:00 pm.

Other:

- WI Department of Safety and Professional Services (DSPS) completed a 2% Dues Audit of our Department on March 12th.
- Our roster stands at 23 volunteer firefighters. We are currently accepting applications.

Mike Folgert
Fire Chief



February 2025 Constable Report

02/14	Animal Abuse
02/18	Lost dog
02/27	Stray dog
02/28	Stray dog
02/28	Garbage dumped



TREASURER'S REPORT
February 2025

		Begin	Deposits/Interest	Withdrawals	Ending	Outstanding Receipts	Outstanding Deposits	Register Balance
BMO Checking Account	7013	38,617.45	3,144,788.45	(2,908,286.64)	275,119.26	(62,069.60)		213,049.66
BMO Payroll Checking	7734	4,814.79	14,344.00	(14,394.30)	4,764.49	(2,419.02)		2,345.47
BMO Plantinum MM	6811	2,990,111.63	463,300.82	(3,134,350.58)	319,061.87			319,061.87
BANK TOTALS		3,033,543.87	3,622,433.27	(6,057,031.52)	598,945.62	(64,488.62)	-	534,457.00
PNB Checking - CDBG		8.71	-	-	8.71	-	-	-
Change Fund		215.00	-	-	215.00	-	-	-
Fire Dept Equipment		272.72	0.92	-	273.64			
Fire Truck		168,187.72	568.26		168,755.98			
Roads		99,661.20	336.73	-	99,997.93			
Capital Outlay - Mach & Equip		252,700.94	853.80		253,554.74			
Recycling		12,540.84	42.37		12,583.21			
ARPA		84,969.49	287.09		85,256.58			
LGIP TOTAL		618,332.91	2,089.17	-	620,422.08	-	-	-
BMO CD					-	-	-	-
BMO CD Fire Dept.		160,150.72	1,845.11	-	161,995.83	-	-	-
TOTAL CASH & INVESTMENTS		3,812,251.21	3,626,367.55	(6,057,031.52)	1,381,587.24	(64,488.62)	-	1,317,098.62

Jodi Maney
Treasurer
toptreasurer@townofpeshtigo.org

Building Permit Fee Schedule

1. Residential One and Two Family

A. New Structures

0-1999 Sq. Ft.	\$800
2000-2999 Sq. Ft.	\$850
3000 Sq. Ft. and Over	\$900
Two Family/Duplexes	+\$200
Erosion Control	\$100
Factory Seal Homes	\$350
Mobile Homes	\$350
State Seal	\$50
Plan Review	\$150
Early Start	\$100
Zoning(if applicable)	\$50

Area calculations include all floor levels, basements, porches, and garages. Inspections included for Construction, Electrical, Plumbing, HVAC, and Erosion Control.

B. Additions and Remodeling

Valuation \$500-\$4,999	\$120
Valuation \$5000-\$39,999	\$120 +\$5/\$1,000
Valuation \$40,000 and up	\$315 +\$1/\$1,000
Zoning for additions (if applicable)	\$35

C. Accessory Structures (Garages/Sheds)

All Accessory Buildings	\$.10/Sq. Ft. (min \$150)
Zoning (if applicable)	\$35

D. Decks

\$175

E. Residential Electrical

New Installation, Alterations, Repairs	\$45+ \$1/\$100 Job Value
Service Change, Solar Array, ATS, Generator	\$175

F. Residential HVAC

New Installations, Alterations, Repairs	\$45+ \$1/\$100 Job Value
---	---------------------------

G. Residential Plumbing

New Installations, Alterations, Repairs	\$45+ \$1/\$100 Job Value
---	---------------------------

H. Swimming Pools (Must have Electrical Permit App. Included) \$150**I. Miscellaneous**

Driveway Permit	\$75
Commercial Project Processing	\$100
Miscellaneous (if not stated in fee schedule)	\$50
Re-inspection/Additional Inspection	\$50
Failure to Call for Inspection	\$100
Occupancy Without Permit	\$50/day
Razing/Demolition/Moving of Building	\$100
Temporary Occupancy	\$50
Ponds	\$100
Fences(where applicable)	
\$50	
Zoning and/or Business Certificate	\$75
Fire Number(where locally issued)	\$75
Consulting	\$50/hr.

Fees may be doubled if a project is started without a permit.

Fees are rounded to the nearest dollar.

Construction Costs include all materials and labor.

January 30, 2025

Ms. Jennifer Friday
TOWN OF PESHTIGO
W2435 Old Peshtigo Road
Marinette, WI 54143

RE: Town of Peshtigo
License #00432
4th Quarter Groundwater Monitoring

Dear Ms. Friday:

We are forwarding the 4th quarter 2024 groundwater monitoring results for the Town of Peshtigo Landfill (Heath Lane). This information has already been forwarded to the Wisconsin Department of Natural Resources.

If you have any questions and/or comments in this regard, please contact me.

Sincerely,

ROBERT E. LEE & ASSOCIATES, INC.



Cody M. Applekamp, P.G.
Geologist

CMA/LAR

ENC.

Notice: Personally identifiable information collected will be used for program administration and enforcement purposes. The Department may also provide this information to requesters as required under Wisconsin's Open Records law, ss. 19.31 to 19.39, Wis. Stats. When submitting monitoring data, the owner or operator of the facility, practice or activity is required to notify the Department in writing that a groundwater standard or an explosive gas level has been attained or exceeded, as specified in ss. NR 140.24(1)(a); NR 140.26(1)(a); NR 507.30NR 635.14(9)(a); NR 635.18(20) and NR 507.30, Wis. Adm. Code. Failure to report may result in fines, forfeitures or other penalties resulting from enforcement under ss. 289.97, 291.97 or 299.95, Wis. Stats.

Instructions:

- Prepare one form for each license or monitoring ID.
- Please type or print legibly.
- Attach a notification of any values that attain or exceed groundwater standards (that is, preventive action limits, enforcement standards or alternative concentration limits). The notification must include a preliminary analysis of the cause and significance of each value.
- Attach a notification of any gas values that attain or exceed explosive gas levels.
- Send the original signed form, any notification, and Electronic Data Deliverable [EDD] to:

GEMS Data Submittal Contact - WA/3
Bureau of Waste Management
Wisconsin Department of Natural Resources
101 South Webster Street
Madison WI 53707-7921

Monitoring Data Submittal Information

Name of entity submitting data (laboratory, consultant, facility owner):

Robert E. Lee & Associates, Inc.

Contact for questions about data formatting. Include data preparer's name, telephone number and E-mail address:

Name: Lori A. Reschke

Phone: _____

E-mail: lreschke@releeinc.com

Facility name:	License # / Monitoring ID	Facility ID [FID]	Actual sampling dates (e.g., July 2-6, 2003)
Town of Peshtigo Landfill (Heath Lane)	00432	438014060	December 20, 2024

The enclosed results are for sampling required in the month(s) of: (e.g., June 2003)

December 2024

Type of Data Submitted (Check all that apply)



Groundwater monitoring data from monitoring wells



Groundwater monitoring data from private water supply wells



Leachate monitoring data



Gas monitoring data



Air monitoring data



Other (specify) _____

Notification attached?



No. No groundwater standards or explosive gas limits were exceeded.



Yes, a notification of values exceeding a groundwater standard is attached. It includes a list of monitoring points, dates, sample values, groundwater standard and preliminary analysis of the cause and significance of any concentration.



Yes, a notification of values exceeding an explosive gas limit is attached. It includes the monitoring points, dates, sample values and explosive gas limits.

Certification

To the best of my knowledge, the information reported and statements made on this data submittal and attachments are true and correct. Furthermore, I have attached complete notification of any sampling values meeting or exceeding groundwater standards or explosive gas levels, and a preliminary analysis of the cause and significance of concentrations exceeding groundwater standards.

Cody M. Applekamp

Geologist

Facility Representative Name (Print)

Title

(Area Code) Telephone No.

Signature

Date

FOR DNR USE ONLY. Check action taken, and record date and your initials. Describe on back side if necessary.



Found uploading problems on _____

Initials _____



Notified contact of problems on _____

Uploaded data successfully on _____

EDD format(s):



Diskette



CD (initial submittal and follow-up)



E-mail (follow-up only)



Other _____

TOWN OF PESHTIGO

LICENSE NO. 00432

FID NO. 438014060

4th QUARTER 2024 GROUNDWATER MONITORING

DATE SAMPLED: 12/20/2024

The exceedances may be due to natural variations in groundwater quality. The exceedances will be evaluated with future sampling.

Landfill Name: Town of Peshtigo Heath Lane La

Pace Analytical Services, LLC

License Number: 00432

DNR Exceedance Summary

Page 1 of 1

Report Period: 241201

Smp Date	SPN	PCN	RV	Units	Type	Location	Lab Number	Sample ID	MSI	Parameter	PAL	ES
12/20/2024	002	01046	17.8	mg/L	ES		289146002	MW-2	01	Iron, Dissolved	0.15	0.3
12/20/2024	003	01046	16.7	mg/L	ES		289146003	MW-2A	01	Iron, Dissolved	0.15	0.3
12/20/2024	004	01046	12.3	mg/L	ES		289146004	MW-3	01	Iron, Dissolved	0.15	0.3
12/20/2024	005	01046	2.8	mg/L	ES		289146005	MW-4	01	Iron, Dissolved	0.15	0.3

Exceedance type: PAL-Preventive Action Limit; ES-Enforcement Standard; *-EnforcementStandard Within DMZ; ACL-Alternative Concentration Limit.
MSI: 01-Sample; 02-Sample Duplicate; 03-SampleTriplctate; 09-Non-field Lab Replicate
< qualifier indicates reported value (RV) was not detected at or above the MDL.



January 08, 2025

Cody Applekamp
Robert E Lee & Associates, Inc.
1250 Centennial Centre Blvd
Oneida, WI 54155

RE: Project: Town of Peshtigo Heath Lane La
Pace Project No.: 40289146

Dear Cody Applekamp:

Enclosed are the analytical results for sample(s) received by the laboratory on December 20, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Brian Basten".

Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Dean LaFleur, Robert E Lee & Associates
Lori Reschke, Robert E Lee



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: Town of Peshtigo Heath Lane La

Pace Project No.: 40289146

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: Town of Peshtigo Heath Lane La

Pace Project No.: 40289146

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40289146001	MW-1	Water	12/20/24 14:05	12/20/24 17:32
40289146002	MW-2	Water	12/20/24 13:10	12/20/24 17:32
40289146003	MW-2A	Water	12/20/24 13:20	12/20/24 17:32
40289146004	MW-3	Water	12/20/24 12:20	12/20/24 17:32
40289146005	MW-4	Water	12/20/24 13:40	12/20/24 17:32

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: Town of Peshtigo Heath Lane La

Pace Project No.: 40289146

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40289146001	MW-1	EPA 6010D	SIS	2
		EPA 300.0	HMB	1
		EPA 310.2	MT	1
		EPA 410.4	TJJ	1
40289146002	MW-2	EPA 6010D	SIS	2
		EPA 300.0	HMB	1
		EPA 310.2	MT	1
		EPA 410.4	TJJ	1
40289146003	MW-2A	EPA 6010D	SIS	2
		EPA 300.0	HMB	1
		EPA 310.2	MT	1
		EPA 410.4	TJJ	1
40289146004	MW-3	EPA 6010D	SIS	2
		EPA 300.0	HMB	1
		EPA 310.2	MT	1
		EPA 410.4	TJJ	1
40289146005	MW-4	EPA 6010D	SIS	2
		EPA 300.0	HMB	1
		EPA 310.2	MT	1
		EPA 410.4	TJJ	1

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: Town of Peshtigo Heath Lane La

Pace Project No.: 40289146

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40289146001	MW-1					
EPA 6010D	Iron, Dissolved	0.11	mg/L	0.10	12/31/24 16:50	
EPA 6010D	Total Hardness by 2340B, Dissolved	269	mg/L	5.4	12/31/24 16:50	
EPA 300.0	Chloride, Dissolved	3.3J	mg/L	10.0	01/07/25 02:35	D3
EPA 310.2	Alkalinity, Total as CaCO ₃ , Dissolved	170	mg/L	25.0	12/31/24 08:23	
EPA 410.4	Chemical Oxygen Demand, Dissolved	71.8	mg/L	52.6	01/08/25 01:50	
40289146002	MW-2					
EPA 6010D	Iron, Dissolved	17.8	mg/L	0.10	12/31/24 16:54	
EPA 6010D	Total Hardness by 2340B, Dissolved	215	mg/L	5.4	12/31/24 16:54	
EPA 300.0	Chloride, Dissolved	13.0	mg/L	10.0	01/07/25 02:46	
EPA 310.2	Alkalinity, Total as CaCO ₃ , Dissolved	262	mg/L	25.0	12/31/24 08:26	
EPA 410.4	Chemical Oxygen Demand, Dissolved	44.0J	mg/L	52.6	01/08/25 01:50	
40289146003	MW-2A					
EPA 6010D	Iron, Dissolved	16.7	mg/L	0.10	12/31/24 16:56	
EPA 6010D	Total Hardness by 2340B, Dissolved	202	mg/L	5.4	12/31/24 16:56	
EPA 300.0	Chloride, Dissolved	10.4	mg/L	10.0	01/07/25 02:57	
EPA 310.2	Alkalinity, Total as CaCO ₃ , Dissolved	170	mg/L	25.0	12/31/24 08:27	
EPA 410.4	Chemical Oxygen Demand, Dissolved	19.9J	mg/L	50.0	01/08/25 01:51	
40289146004	MW-3					
EPA 6010D	Iron, Dissolved	12.3	mg/L	0.10	12/31/24 16:58	
EPA 6010D	Total Hardness by 2340B, Dissolved	295	mg/L	5.4	12/31/24 16:58	
EPA 300.0	Chloride, Dissolved	1.2J	mg/L	2.0	01/07/25 23:04	
EPA 310.2	Alkalinity, Total as CaCO ₃ , Dissolved	257	mg/L	25.0	12/31/24 08:28	
40289146005	MW-4					
EPA 6010D	Iron, Dissolved	2.8	mg/L	0.10	12/31/24 17:03	
EPA 6010D	Total Hardness by 2340B, Dissolved	195	mg/L	5.4	12/31/24 17:03	
EPA 300.0	Chloride, Dissolved	8.4J	mg/L	10.0	01/07/25 23:37	D3
EPA 310.2	Alkalinity, Total as CaCO ₃ , Dissolved	190	mg/L	25.0	12/31/24 08:29	
EPA 410.4	Chemical Oxygen Demand, Dissolved	101	mg/L	50.0	01/08/25 01:51	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Town of Peshtigo Heath Lane La
Pace Project No.: 40289146

Sample: MW-1		Lab ID: 40289146001		Collected: 12/20/24 14:05		Received: 12/20/24 17:32		Matrix: Water	
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved		Analytical Method: EPA 6010D Pace Analytical Services - Green Bay							
Iron, Dissolved	0.11	mg/L	0.10	0.030	1		12/31/24 16:50	7439-89-6	
Total Hardness by 2340B, Dissolved	269	mg/L	5.4	1.0	1		12/31/24 16:50		
300.0 IC Anions 28 Days,Diss		Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay							
Chloride, Dissolved	3.3J	mg/L	10.0	3.0	5		01/07/25 02:35	16887-00-6	D3
310.2 Alkalinity, Dissolved		Analytical Method: EPA 310.2 Pace Analytical Services - Green Bay							
Alkalinity, Total as CaCO ₃ , Dissolved	170	mg/L	25.0	7.4	1		12/31/24 08:23		
410.4 COD - Dissolved		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Green Bay							
Chemical Oxygen Demand, Dissolved	71.8	mg/L	52.6	15.5	1	01/07/25 23:02	01/08/25 01:50		

Sample: MW-2		Lab ID: 40289146002		Collected: 12/20/24 13:10		Received: 12/20/24 17:32		Matrix: Water	
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved		Analytical Method: EPA 6010D Pace Analytical Services - Green Bay							
Iron, Dissolved	17.8	mg/L	0.10	0.030	1		12/31/24 16:54	7439-89-6	
Total Hardness by 2340B, Dissolved	215	mg/L	5.4	1.0	1		12/31/24 16:54		
300.0 IC Anions 28 Days,Diss		Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay							
Chloride, Dissolved	13.0	mg/L	10.0	3.0	5		01/07/25 02:46	16887-00-6	
310.2 Alkalinity, Dissolved		Analytical Method: EPA 310.2 Pace Analytical Services - Green Bay							
Alkalinity, Total as CaCO ₃ , Dissolved	262	mg/L	25.0	7.4	1		12/31/24 08:26		
410.4 COD - Dissolved		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Green Bay							
Chemical Oxygen Demand, Dissolved	44.0J	mg/L	52.6	15.5	1	01/07/25 23:02	01/08/25 01:50		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Town of Peshtigo Heath Lane La
Pace Project No.: 40289146

Sample: MW-2A		Lab ID: 40289146003		Collected: 12/20/24 13:20		Received: 12/20/24 17:32		Matrix: Water	
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved		Analytical Method: EPA 6010D Pace Analytical Services - Green Bay							
Iron, Dissolved	16.7	mg/L	0.10	0.030	1		12/31/24 16:56	7439-89-6	
Total Hardness by 2340B, Dissolved	202	mg/L	5.4	1.0	1		12/31/24 16:56		
300.0 IC Anions 28 Days,Diss		Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay							
Chloride, Dissolved	10.4	mg/L	10.0	3.0	5		01/07/25 02:57	16887-00-6	
310.2 Alkalinity, Dissolved		Analytical Method: EPA 310.2 Pace Analytical Services - Green Bay							
Alkalinity, Total as CaCO ₃ , Dissolved	170	mg/L	25.0	7.4	1		12/31/24 08:27		
410.4 COD - Dissolved		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Green Bay							
Chemical Oxygen Demand, Dissolved	19.9J	mg/L	50.0	14.7	1	01/07/25 23:02	01/08/25 01:51		

Sample: MW-3		Lab ID: 40289146004		Collected: 12/20/24 12:20		Received: 12/20/24 17:32		Matrix: Water	
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved		Analytical Method: EPA 6010D Pace Analytical Services - Green Bay							
Iron, Dissolved	12.3	mg/L	0.10	0.030	1		12/31/24 16:58	7439-89-6	
Total Hardness by 2340B, Dissolved	295	mg/L	5.4	1.0	1		12/31/24 16:58		
300.0 IC Anions 28 Days,Diss		Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay							
Chloride, Dissolved	1.2J	mg/L	2.0	0.59	1		01/07/25 23:04	16887-00-6	
310.2 Alkalinity, Dissolved		Analytical Method: EPA 310.2 Pace Analytical Services - Green Bay							
Alkalinity, Total as CaCO ₃ , Dissolved	257	mg/L	25.0	7.4	1		12/31/24 08:28		
410.4 COD - Dissolved		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Green Bay							
Chemical Oxygen Demand, Dissolved	<14.7	mg/L	50.0	14.7	1	01/07/25 23:02	01/08/25 01:51		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Town of Peshtigo Heath Lane La

Pace Project No.: 40289146

Sample: MW-4		Lab ID: 40289146005		Collected: 12/20/24 13:40		Received: 12/20/24 17:32		Matrix: Water	
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved		Analytical Method: EPA 6010D Pace Analytical Services - Green Bay							
Iron, Dissolved	2.8	mg/L	0.10	0.030	1		12/31/24 17:03	7439-89-6	
Total Hardness by 2340B, Dissolved	195	mg/L	5.4	1.0	1		12/31/24 17:03		
300.0 IC Anions 28 Days,Diss		Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay							
Chloride, Dissolved	8.4J	mg/L	10.0	3.0	5		01/07/25 23:37	16887-00-6	D3
310.2 Alkalinity, Dissolved		Analytical Method: EPA 310.2 Pace Analytical Services - Green Bay							
Alkalinity, Total as CaCO ₃ , Dissolved	190	mg/L	25.0	7.4	1		12/31/24 08:29		
410.4 COD - Dissolved		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Green Bay							
Chemical Oxygen Demand, Dissolved	101	mg/L	50.0	14.7	1	01/07/25 23:02	01/08/25 01:51		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Town of Peshtigo Heath Lane La
Pace Project No.: 40289146

QC Batch: 493940 Analysis Method: EPA 6010D
QC Batch Method: EPA 6010D Analysis Description: ICP Metals, Trace, Dissolved
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40289146001, 40289146002, 40289146003, 40289146004, 40289146005

METHOD BLANK: 2826366 Matrix: Water
Associated Lab Samples: 40289146001, 40289146002, 40289146003, 40289146004, 40289146005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Iron, Dissolved	mg/L	<0.030	0.10	12/31/24 16:41	
Total Hardness by 2340B, Dissolved	mg/L	<1.0	5.4	12/31/24 16:41	

LABORATORY CONTROL SAMPLE: 2826367

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	mg/L	10	10.2	102	80-120	
Total Hardness by 2340B, Dissolved	mg/L		67.4			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2826368 2826369

Parameter	Units	40289102001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Iron, Dissolved	mg/L	11400 ug/L	10	10	21.5	21.5	101	101	75-125	0	20	
Total Hardness by 2340B, Dissolved	mg/L	419000 ug/L			485	480				1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Town of Peshtigo Heath Lane La
Pace Project No.: 40289146

QC Batch: 494236 Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions, Dissolved
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40289146001, 40289146002, 40289146003

METHOD BLANK: 2827434 Matrix: Water
Associated Lab Samples: 40289146001, 40289146002, 40289146003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	<0.59	2.0	01/06/25 21:40	

LABORATORY CONTROL SAMPLE: 2827435

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	20	20.8	104	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2827436 2827437

Parameter	Units	40289195030 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	27.4	20	20	46.0	46.2	93	94	90-110	1	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2827438 2827439

Parameter	Units	40289146003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	10.4	100	100	115	114	105	104	90-110	1	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Town of Peshtigo Heath Lane La
Pace Project No.: 40289146

QC Batch:	494259	Analysis Method:	EPA 300.0
QC Batch Method:	EPA 300.0	Analysis Description:	300.0 IC Anions,Dissolved
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40289146004, 40289146005

METHOD BLANK: 2827517 Matrix: Water

Associated Lab Samples: 40289146004, 40289146005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	<0.59	2.0	01/07/25 22:10	

LABORATORY CONTROL SAMPLE: 2827518

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	20	21.4	107	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2827519 2827520

Parameter	Units	40289146004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	1.2J	20	20	23.2	23.3	110	110	90-110	1	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Town of Peshtigo Heath Lane La
Pace Project No.: 40289146

QC Batch: 493895 Analysis Method: EPA 310.2
QC Batch Method: EPA 310.2 Analysis Description: 310.2 Alkalinity, Dissolved
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40289146001, 40289146002, 40289146003, 40289146004, 40289146005

METHOD BLANK: 2826139 Matrix: Water
Associated Lab Samples: 40289146001, 40289146002, 40289146003, 40289146004, 40289146005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Alkalinity, Total as CaCO ₃ , Dissolved	mg/L	<7.4	25.0	12/31/24 08:18	

LABORATORY CONTROL SAMPLE: 2826140

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Alkalinity, Total as CaCO ₃ , Dissolved	mg/L	100	105	105	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2826141 2826142

Parameter	Units	40289146001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Alkalinity, Total as CaCO ₃ , Dissolved	mg/L	170	100	100	265	270	95	100	90-110	2	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2826143 2826144

Parameter	Units	40289291002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Alkalinity, Total as CaCO ₃ , Dissolved	mg/L	285	100	100	376	375	92	91	90-110	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Town of Peshtigo Heath Lane La
Pace Project No.: 40289146

QC Batch: 494399 Analysis Method: EPA 410.4
QC Batch Method: EPA 410.4 Analysis Description: 410.4 COD - Dissolved
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40289146001, 40289146002, 40289146003, 40289146004, 40289146005

METHOD BLANK: 2828161 Matrix: Water
Associated Lab Samples: 40289146001, 40289146002, 40289146003, 40289146004, 40289146005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chemical Oxygen Demand, Dissolved	mg/L	<14.7	50.0	01/08/25 01:50	

LABORATORY CONTROL SAMPLE: 2828162

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chemical Oxygen Demand, Dissolved	mg/L	500	523	105	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2828163 2828164

Parameter	Units	40289146001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chemical Oxygen Demand, Dissolved	mg/L	71.8	526	526	618	611	104	102	90-110	1	10	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2828165 2828166

Parameter	Units	40289146002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chemical Oxygen Demand, Dissolved	mg/L	44.0J	526	526	588	590	103	104	90-110	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: Town of Peshtigo Heath Lane La
Pace Project No.: 40289146

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - The reported result is an estimated value.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Analyte was not detected and is reported as less than the LOD or as defined by the customer.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Town of Peshtigo Heath Lane La
Pace Project No.: 40289146

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40289146001	MW-1	EPA 6010D	493940		
40289146002	MW-2	EPA 6010D	493940		
40289146003	MW-2A	EPA 6010D	493940		
40289146004	MW-3	EPA 6010D	493940		
40289146005	MW-4	EPA 6010D	493940		
40289146001	MW-1	EPA 300.0	494236		
40289146002	MW-2	EPA 300.0	494236		
40289146003	MW-2A	EPA 300.0	494236		
40289146004	MW-3	EPA 300.0	494259		
40289146005	MW-4	EPA 300.0	494259		
40289146001	MW-1	EPA 310.2	493895		
40289146002	MW-2	EPA 310.2	493895		
40289146003	MW-2A	EPA 310.2	493895		
40289146004	MW-3	EPA 310.2	493895		
40289146005	MW-4	EPA 310.2	493895		
40289146001	MW-1	EPA 410.4	494399	EPA 410.4	494403
40289146002	MW-2	EPA 410.4	494399	EPA 410.4	494403
40289146003	MW-2A	EPA 410.4	494399	EPA 410.4	494403
40289146004	MW-3	EPA 410.4	494399	EPA 410.4	494403
40289146005	MW-4	EPA 410.4	494399	EPA 410.4	494403

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Sample Condition Upon Receipt Form (SCUR)

Client Name: Robert E. Lee & Associates, Inc. Project #:

Courier: ☐ CS Logistics ☐ Fed Ex ☐ Speedee ☐ UPS ☐ Walto
☒ Client ☐ Pace Other: _____

WO#: 40289146



Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☒ no

Custody Seal on Samples Present: ☐ yes ☒ no Seals intact: ☐ yes ☒ no

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☒ None ☐ Other

Thermometer Used SR - 143 Type of Ice: Wet Blue Dry None ☐ Meltwater Only

Cooler Temperature Uncorr: 3.0 / Corr: 3.0

Temp Blank Present: ☐ yes ☒ no

Biological Tissue is Frozen: ☐ yes ☐ no

Person examining contents:

Date: 12/20/2024 Initials: MA

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Labeled By Initials: _____

Chain of Custody Present:	☒ Yes ☐ No ☐ N/A	1.
Chain of Custody Filled Out:	☒ Yes ☐ No ☐ N/A	2.
Chain of Custody Relinquished:	☒ Yes ☐ No ☐ N/A	3.
Sampler Name & Signature on COC:	☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time:	☒ Yes ☐ No	5.
- DI VOA Samples frozen upon receipt	☐ Yes ☐ No	Date/Time:
Short Hold Time Analysis (<72hr):	☐ Yes ☒ No	6.
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:		8.
For Analysis: ☒ Yes ☐ No MS/MSD: ☐ Yes ☒ No ☐ N/A		
Correct Containers Used:	☒ Yes ☐ No	9.
Correct Type: <u>Pace Green Bay</u> , Pace IR, Non-Pace		
Containers Intact:	☒ Yes ☐ No	10.
Filtered volume received for Dissolved tests	☒ Yes ☐ No ☐ N/A	11.
Sample Labels match COC:	☒ Yes ☐ No ☐ N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	13.
Trip Blank Custody Seals Present	☐ Yes ☐ No ☒ N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments ☐

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample log in

Page 2 of 2

 Pace® Location Requested (City/State): Pace Analytical Green Bay 1241 Bellevue Street, Suite 9 Green Bay, WI 54302			CHAIN-OF-CUSTODY Analytical Request Document Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields										LAB USE ONLY- Affix Workorder/Login Label Here  40289146 Scan QR Code for instructions																			
Company Name: ROBERT E. LEE & ASSOCIATES, INC.			Contact/Report To:										Specify Container Size ** Identify Container Preservative Type*** Analysis Requested																			
Street Address:			Phone #:																													
			E-Mail:																													
			Cc E-Mail:																													
Customer Project #:			Invoice To: Lori Reschke										**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other																			
Project Name: Town of Peshtigo Heath Lane Landfill			Invoice E-Mail: lreschke@releeinc.com										*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other																			
Site Collection Info/Facility ID (as applicable):			Purchase Order # (if applicable):										Lab Use Only Proj. Mgr: Brian Basten AcctNum / Client ID: Table #: Profile / Template: 1696 Prelog / Bottle Ord. ID: EZ 3171435 Sample Comment Preservation non-conformance identified for sample.																			
			Quote #:																													
			County / State origin of sample(s): Wisconsin																													
Time Zone Collected: [] AK [] PT [] MT [] CT [] ET			Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [] Yes [] No																													
Data Deliverables:			Rush (Pre-approval required): [] Same Day [] 1 Day [] 2 Day [] 3 Day [] Other _____										DW PWSID # or WW Permit # as applicable:																			
[] Level II [] Level III [] Level IV			Date Results Requested:										Field Filtered (if applicable): ☒ Yes [] No																			
[] EQUIS			Analysis:																													
[] Other																																
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)																																
Customer Sample ID			Matrix *	Comp / Grab	Composite Start		Collected or Composite End		#	Res. Chlorine		410.4 COD - Dissolved 610 Dis Hd, Fe Dis Alk, Dis Cl																				
					Date	Time	Date	Time	Cont.	Results	Units																					
MW-1			WT	G	-	-	12-20-24	1405	3																							
MW-2			WT	G	-	-		1310	3																							
MW-2A			WT	G	-	-		1320	3																							
MW-3			WT	G	-	-		1220	3																							
MW-4			WT	G	-	-		1340	3																							
Additional Instructions from Pace®:													Collected By: (Printed Name) <u>Jonah Cettiger</u>										Customer Remarks / Special Conditions / Possible Hazards:									
													Signature: <u>Jonah Cettiger</u>										# Coolers: 1 Thermometer ID: 142 Correction Factor (°C): _____ Obs. Temp. (°C): _____ Corrected Temp. (°C): 3.0 On Ice: ☒									
Relinquished by/Company: (Signature) <u>[Signature]</u>			Date/Time: 12-20-24 1732		Received by/Company: (Signature) <u>[Signature]</u> pace							Date/Time: 12/20/24 1732		Tracking Number: N/A																		
Relinquished by/Company: (Signature)			Date/Time:		Received by/Company: (Signature)							Date/Time:		Delivered by: ☒ In-Person [] Courier																		
Relinquished by/Company: (Signature)			Date/Time:		Received by/Company: (Signature)							Date/Time:		[] FedEx [] UPS [] Other																		
Relinquished by/Company: (Signature)			Date/Time:		Received by/Company: (Signature)							Date/Time:		Page: 1 of 1																		

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at <https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/>

ENV-FRM-CORQ-0019_v02_110123 ©

January 30, 2025

Ms. Jennifer Friday
TOWN OF PESHTIGO
W2435 Old Peshtigo Road
Marinette, WI 54143

RE: Town of Peshtigo
License #00433
4th Quarter Groundwater Monitoring

Dear Ms. Friday:

We are forwarding the 4th quarter 2024 groundwater monitoring results for the Town of Peshtigo Landfill (Kozuszek Road). This information has already been forwarded to the Wisconsin Department of Natural Resources.

If you have any questions and/or comments in this regard, please contact me.

Sincerely,

ROBERT E. LEE & ASSOCIATES, INC.



Cody M. Applekamp, P.G.
Geologist

CMA/LAR

ENC.

Notice: Personally identifiable information collected will be used for program administration and enforcement purposes. The Department may also provide this information to requesters as required under Wisconsin's Open Records law, ss. 19.31 to 19.39, Wis. Stats. When submitting monitoring data, the owner or operator of the facility, practice or activity is required to notify the Department in writing that a groundwater standard or an explosive gas level has been attained or exceeded, as specified in ss. NR 140.24(1)(a); NR 140.26(1)(a); NR 507.30NR 635.14(9)(a); NR 635.18(20) and NR 507.30, Wis. Adm. Code. Failure to report may result in fines, forfeitures or other penalties resulting from enforcement under ss. 289.97, 291.97 or 299.95, Wis. Stats.

Instructions:

- Prepare one form for each license or monitoring ID.
- Please type or print legibly.
- Attach a notification of any values that attain or exceed groundwater standards (that is, preventive action limits, enforcement standards or alternative concentration limits). The notification must include a preliminary analysis of the cause and significance of each value.
- Attach a notification of any gas values that attain or exceed explosive gas levels.
- Send the original signed form, any notification, and Electronic Data Deliverable [EDD] to:

GEMS Data Submittal Contact - WA/3
Bureau of Waste Management
Wisconsin Department of Natural Resources
101 South Webster Street
Madison WI 53707-7921

Monitoring Data Submittal Information

Name of entity submitting data (laboratory, consultant, facility owner):

Robert E. Lee & Associates, Inc.

Contact for questions about data formatting. Include data preparer's name, telephone number and E-mail address:

Name: Lori A. Reschke

Phone: _____

E-mail: lreschke@releeinc.com

Facility name:	License # / Monitoring ID	Facility ID [FID]	Actual sampling dates (e.g., July 2-6, 2003)
Town of Peshtigo Landfill (Kozuszek Road)	00433	438014170	December 20, 2024

The enclosed results are for sampling required in the month(s) of: (e.g., June 2003)

December 2024

Type of Data Submitted (Check all that apply)

- ☒ Groundwater monitoring data from monitoring wells
☐ Groundwater monitoring data from private water supply wells
☐ Leachate monitoring data

- ☐ Gas monitoring data
☐ Air monitoring data
☐ Other (specify) _____

Notification attached?

- ☒ No. No groundwater standards or explosive gas limits were exceeded.
☐ Yes, a notification of values exceeding a groundwater standard is attached. It includes a list of monitoring points, dates, sample values, groundwater standard and preliminary analysis of the cause and significance of any concentration.
☐ Yes, a notification of values exceeding an explosive gas limit is attached. It includes the monitoring points, dates, sample values and explosive gas limits.

Certification

To the best of my knowledge, the information reported and statements made on this data submittal and attachments are true and correct. Furthermore, I have attached complete notification of any sampling values meeting or exceeding groundwater standards or explosive gas levels, and a preliminary analysis of the cause and significance of concentrations exceeding groundwater standards.

Cody M. Applekamp

Geologist

Facility Representative Name (Print)

Title

(Area Code) Telephone No.

Signature

Date

2-6-25

FOR DNR USE ONLY. Check action taken, and record date and your initials. Describe on back side if necessary.

- ☐ Found uploading problems on _____ Initials _____
☐ Notified contact of problems on _____ Uploaded data successfully on _____

EDD format(s): ☐ Diskette ☐ CD (initial submittal and follow-up) ☐ E-mail (follow-up only) Other _____