

# EPA Approved Laboratories for UCMR 3

These laboratories met the Unregulated Contaminant Monitoring Rule 3 (UCMR 3) Laboratory Approval Program application and Proficiency Testing (PT) criteria for the methods indicated. These laboratories can only analyze samples using those methods marked with "X" next to their names. This approved laboratory list is subject to change. Laboratories that withdraw or fail to maintain the method and program quality control requirements will be permanently removed from the list.



Laboratory Name	Assessment Monitoring List 1						Screening Survey List 2	Commercial Service as of July 2016
	EPA 200.8	EPA 218.7	EPA 300.1	EPA 522	EPA 524.3	EPA 537	EPA 539	
<b>Arkansas DoH Public Health Lab</b> 201 South Monroe St. Little Rock, AR 72205 (501)661-2220	X	X	X		X			
<b>City of Phoenix Laboratory Services</b> 2474 South 22nd Avenue Phoenix, AZ 85009 (602)534-2960	X	X	X		X			Yes
<b>City of Tempe Water Quality Laboratory</b> PO Box 5002 Tempe, AZ 85280 (480)350-8255 <a href="http://www.tempe.gov/waterquality">www.tempe.gov/waterquality</a>	X							
<b>Orange Co. Water District Advanced Water Quality Assurance Lab</b> 18700 Ward Street Fountain Valley, CA 92708 (714)378-3347 <a href="http://www.ocwd.com">www.ocwd.com</a>	X	X	X	X	X	X	X	No
<b>BSK Associates</b> 1414 Stanislaus Street Fresno, CA 93706 (559)497-2888 <a href="http://www.bskinc.com">www.bskinc.com</a>	X	X	X	X	X	X	X	Yes
<b>Weck Laboratories, Inc.</b> 14859 E. Clark Avenue Industry, CA 91745 (626)336-2139 <a href="http://www.wecklabs.com">www.wecklabs.com</a>	X	X	X	X	X	X	X	Yes

These laboratories met the Unregulated Contaminant Monitoring Rule 3 (UCMR 3) Laboratory Approval Program application and Proficiency Testing (PT) criteria for the methods indicated. These laboratories can only analyze samples using those methods marked with "X" next to their names. This approved laboratory list is subject to change. Laboratories that withdraw or fail to maintain the method and program quality control requirements will be permanently removed from the list.



Laboratory Name	Assessment Monitoring List 1						Screening Survey List 2	Commercial Service as of July 2016
	EPA 200.8	EPA 218.7	EPA 300.1	EPA 522	EPA 524.3	EPA 537	EPA 539	
<b>TestAmerica - Irvine</b> 17461 Derian Ave. Suite 100 Irvine, CA 92614 (949)261-1022 <a href="http://www.testamericainc.com">www.testamericainc.com</a>		X	X	X	X			Yes
<b>Eurofins Eaton Analytical Inc, formerly known as MWH Labs</b> 750 Royal Oaks Drive Monrovia, CA 91016 (626)386-1100 <a href="http://www.eatonanalytical.com">www.eatonanalytical.com</a>	X	X	X	X	X	X	X	Yes
<b>Los Angeles DWP, Water Quality Laboratory</b> 555 E Walnut St Pasadena, CA 91101 (213)367-8546	X	X	X	X	X			No
<b>McCampbell Analytical, Inc.</b> 1534 Willow Pass Road Pittsburg, CA 94565 (925)252-9262 <a href="http://www.mccampbell.com">www.mccampbell.com</a>	X	X	X	X	X	X	X	Yes
<b>Basic Laboratory, Inc.</b> 2218 Railroad Ave. Redding, CA 96001 (530)243-7234 <a href="http://www.basiclab.com">www.basiclab.com</a>	X	X	X	X	X			Yes
<b>Edward S. Babcock and Sons, Inc.</b> 6100 Quail Valley Court Riverside, CA 92507 (951)653-3351 <a href="http://www.babcocklabs.com">www.babcocklabs.com</a>	X	X	X	X	X	X	X	Yes
<b>Test America - West Sacramento</b> 880 Riverside Parkway West Sacramento, CA 95605 (916)373-5600 <a href="http://www.testamericainc.com">www.testamericainc.com</a>						X		Yes

These laboratories met the Unregulated Contaminant Monitoring Rule 3 (UCMR 3) Laboratory Approval Program application and Proficiency Testing (PT) criteria for the methods indicated. These laboratories can only analyze samples using those methods marked with "X" next to their names. This approved laboratory list is subject to change. Laboratories that withdraw or fail to maintain the method and program quality control requirements will be permanently removed from the list.



Laboratory Name	Assessment Monitoring List 1						Screening Survey List 2	Commercial Service as of July 2016
	EPA 200.8	EPA 218.7	EPA 300.1	EPA 522	EPA 524.3	EPA 537	EPA 539	
<b>Regional Water Authority</b> 90 Sargent Dr. New Haven, CT 06511 (203)562-4020 <a href="http://www.rwater.com">www.rwater.com</a>			X		X	X	X	Yes
<b>Orange County Utilities Laboratory</b> 9124 Curry Ford Road Orlando, FL 32825 (407)254-9550	X	X	X	X	X	X	X	Yes
<b>Pace Analytical Services, Inc. - Florida</b> 8 East Tower Circle Ormond Beach, FL 32174 (386)672-5668 <a href="http://www.pacelabs.com">www.pacelabs.com</a>	X	X	X	X	X	X	X	Yes
<b>State Hygienic Laboratory - Ankeny</b> 2220 S. Ankeny Blvd. Ankeny, IA 500239093 (515)725-1600 <a href="http://www.shl.uiowa.edu">www.shl.uiowa.edu</a>	X	X	X					Yes
<b>State Hygienic Laboratory - Coralville</b> 2490 Crosspark Road Coralville, IA 522414792 (319)335-4500 <a href="http://www.shl.uiowa.edu">www.shl.uiowa.edu</a>				X	X	X	X	Yes
<b>Anatek Labs, Inc.</b> 1282 Alturas Drive Moscow, ID 83843 (208)883-2839 <a href="http://www.anateklabs.com">www.anateklabs.com</a>	X		X	X	X	X	X	Yes
<b>American Water Central Laboratory</b> 1115 S. Illinois Street Belleville, IL 62220 (618)235-3600 <a href="http://www.amwater.com">www.amwater.com</a>	X	X	X	X	X	X	X	Yes

These laboratories met the Unregulated Contaminant Monitoring Rule 3 (UCMR 3) Laboratory Approval Program application and Proficiency Testing (PT) criteria for the methods indicated. These laboratories can only analyze samples using those methods marked with "X" next to their names. This approved laboratory list is subject to change. Laboratories that withdraw or fail to maintain the method and program quality control requirements will be permanently removed from the list.



Laboratory Name	Assessment Monitoring List 1						Screening Survey List 2	Commercial Service as of July 2016
	EPA 200.8	EPA 218.7	EPA 300.1	EPA 522	EPA 524.3	EPA 537	EPA 539	
<b>PDC Laboratories</b> PO Box 9071 Peoria, IL 616129071					X			
<b>Heritage Environmental Services, LLC</b> 7901 W. Morris St. Indianapolis, IN 46231 (317)243-8304 <a href="http://www.heritage-enviro.com">www.heritage-enviro.com</a>						X		No
<b>Eurofins Eaton Analytical formerly UL LLC</b> 110 South Hill Street South Bend, IN 46617 (574)233-4777 <a href="http://www.ul.com/water/waterlab">www.ul.com/water/waterlab</a>	X	X	X	X	X	X	X	Yes
<b>McCoy &amp; McCoy Laboratories, Inc.</b> P.O. Box 907 Madisonville, KY 42431 (270)821-7375 <a href="http://www.mccoylabs.com">www.mccoylabs.com</a>	X	X	X	X	X			
<b>Barnstable County Dept. of Health and Environment Lab</b> 3195 Main Street Barnstable, MA 02630 (508)375-6606			X		X			
<b>Enviro-Chem Laboratories, Inc.</b> 47 Loveton Circle, STE K Sparks, MD 21152 (410)472-1112 <a href="http://www.enviro-chem.net">www.enviro-chem.net</a>	X	X						
<b>ALS Environmental Division - Holland</b> 3352 128th Ave Holland, MI 49424 (616)399-6070 <a href="http://www.alsglobal.com">www.alsglobal.com</a>	X		X	X	X			

These laboratories met the Unregulated Contaminant Monitoring Rule 3 (UCMR 3) Laboratory Approval Program application and Proficiency Testing (PT) criteria for the methods indicated. These laboratories can only analyze samples using those methods marked with "X" next to their names. This approved laboratory list is subject to change. Laboratories that withdraw or fail to maintain the method and program quality control requirements will be permanently removed from the list.



Laboratory Name	Assessment Monitoring List 1						Screening Survey List 2	Commercial Service as of July 2016
	EPA 200.8	EPA 218.7	EPA 300.1	EPA 522	EPA 524.3	EPA 537	EPA 539	
<b>National Testing Laboratories, Ltd.</b> 556 South Mansfield St. Ypsilanti, MI 48197	X		X					
<b>MO DNR Environmental Laboratory</b> 2710 West Main St Jefferson City, MO 65109 (573)526-6971	X		X					
<b>Microbac Laboratories, Inc. - Wilson Division</b> 3809 Airport Drive NW Wilson, NC 27896 (252)237-4175 <a href="http://www.microbac.com">www.microbac.com</a>			X					
<b>EMSL Analytical, Inc.</b> 200 Route 130 North Cinnaminson, NJ 08077 (800)220-3675 <a href="http://www.emsl.com">www.emsl.com</a>			X					
<b>Suffolk County Water Authority Laboratory</b> 260 Motor Parkway Hauppauge, NY 11788 (631)563-0259 <a href="http://scwa.com">scwa.com</a>	X	X	X	X	X	X	X	No
<b>H2M Labs, Inc.</b> 575 Broad Hollow Rd Melville, NY 11747 (631)694-3040 <a href="http://www.h2mlabs.com">www.h2mlabs.com</a>			X	X	X			
<b>Columbia Analytical Services - NY</b> 1565 Jefferson Rd, Building 300, Ste 360 Rochester, NY 14623 (585)288-5380 <a href="http://www.caslab.com">www.caslab.com</a>		X		X				

These laboratories met the Unregulated Contaminant Monitoring Rule 3 (UCMR 3) Laboratory Approval Program application and Proficiency Testing (PT) criteria for the methods indicated. These laboratories can only analyze samples using those methods marked with "X" next to their names. This approved laboratory list is subject to change. Laboratories that withdraw or fail to maintain the method and program quality control requirements will be permanently removed from the list.



Laboratory Name	Assessment Monitoring List 1						Screening Survey List 2	Commercial Service as of July 2016
	EPA 200.8	EPA 218.7	EPA 300.1	EPA 522	EPA 524.3	EPA 537	EPA 539	
<b>Westchester County Dept. of Lab and Research</b> 10 Dana Road Valhalla, NY 10595 (914)231-1620 <a href="http://labs.westchestergov.com">labs.westchestergov.com</a>				X	X			
<b>Summit Environmental Technologies, Inc.</b> 3310 Win Street Cuyahoga Falls, OH 44223 (330)253-8211 <a href="http://www.Settek.com">www.Settek.com</a>	X	X	X	X	X			
<b>Alloway Testing</b> 1776 Marion-Waldo Road Marion, OH 43302 (740)389-5991 <a href="http://www.alloway.com">www.alloway.com</a>	X	X	X	X	X			Yes
<b>Accurate Environmental Labs</b> 505 S. Lowry Stillwater, OK 74074 (405)372-5300 <a href="http://www accuratelabs.com">www accuratelabs.com</a>	X	X	X	X	X	X	X	Yes
<b>Aqua Pennsylvania, Inc.</b> 762 W. Lancaster Ave Bryn Mawr, PA 190103489 (610)645-1145	X	X	X		X			
<b>Microbac Laboratories, Inc. Central Pennsylvania Division</b> 4359 Linglestown Road Harrisburg, PA 17112 (717)651-9700 <a href="http://www.microbac.com">www.microbac.com</a>	X			X	X			
<b>ALS - Middletown</b> 34 Dogwood Lane Middletown, PA 17057 (717)944-5541 <a href="http://www.alsglobal.com">www.alsglobal.com</a>	X	X	X	X	X			

These laboratories met the Unregulated Contaminant Monitoring Rule 3 (UCMR 3) Laboratory Approval Program application and Proficiency Testing (PT) criteria for the methods indicated. These laboratories can only analyze samples using those methods marked with "X" next to their names. This approved laboratory list is subject to change. Laboratories that withdraw or fail to maintain the method and program quality control requirements will be permanently removed from the list.



Laboratory Name	Assessment Monitoring List 1						Screening Survey List 2	Commercial Service as of July 2016
	EPA 200.8	EPA 218.7	EPA 300.1	EPA 522	EPA 524.3	EPA 537	EPA 539	
<b>Suburban Water Testing Labs</b> 1037F MacArthur Rd Reading, PA 19605  <a href="http://h2otest.com">h2otest.com</a>	X	X	X	X	X			
<b>M.J. Reider Associates, Inc.</b> 107 Angelica Street Reading, PA 19611 (610)374-5129 <a href="http://mjreider.com">mjreider.com</a>		X	X					Yes
<b>Kirby Memorial Health Center</b> 71 North Franklin St Wilkes-Barre, PA 18701 (570)823-5450 <a href="http://www.kirbyhealthcenter.org">www.kirbyhealthcenter.org</a>	X							
<b>Environmental Quality Laboratories, Inc (EQLab)</b> P.O. Box 11458 Santurce, PR 009101458 (787)288-6420 <a href="http://www.eqlab.com">www.eqlab.com</a>			X	X	X			Yes
<b>Rogers and Callcott Engineers, Inc.</b> PO Box 5655 Greenville, SC 29606 (864)232-1556 <a href="http://www.rogersandcallcott.com">www.rogersandcallcott.com</a>					X			
<b>LCRA - Environmental Laboratory Services</b> 3505 Montopolis Dr, MS: EL-101 Austin, TX 78744 (512)356-6022 <a href="https://els.lcra.org">https://els.lcra.org</a>	X		X	X	X	X	X	Yes
<b>City of Houston Drinking Water Operations Laboratory</b> 2300 Federal Rd Houston, TX 77015 (832)395-6039 <a href="http://www.publicworks.houstontx.gov/utilities/drinking">http://www.publicworks.houstontx.gov/utilities/drinking</a>		X	X	X				No

These laboratories met the Unregulated Contaminant Monitoring Rule 3 (UCMR 3) Laboratory Approval Program application and Proficiency Testing (PT) criteria for the methods indicated. These laboratories can only analyze samples using those methods marked with "X" next to their names. This approved laboratory list is subject to change. Laboratories that withdraw or fail to maintain the method and program quality control requirements will be permanently removed from the list.



Laboratory Name	Assessment Monitoring List 1						Screening Survey List 2	Commercial Service as of July 2016
	EPA 200.8	EPA 218.7	EPA 300.1	EPA 522	EPA 524.3	EPA 537	EPA 539	
<b>Unified State Laboratories: UT DoH</b> 4431 South 2700 West Taylorsville, UT 84129 (801)965-2400	X	X	X	X	X	X		Yes
<b>Edge Analytical, Inc.</b> 1620 S. Walnut St. Burlington, WA 98233 (360)757-1400 <a href="http://www.edgeanalytical.com">www.edgeanalytical.com</a>	X	X	X	X	X			Yes
<b>ALS formerly Columbia Analytical Services, Inc.</b> 1317 South 13th Avenue Kelso, WA 98626 (360)577-7222 <a href="http://www.caslab.com">www.caslab.com</a>						X	X	Yes
<b>Water Management Laboratories, Inc.</b> 1515 80th Street East Tacoma, WA 98404 (253)531-3121	X		X	X				
<b>Northern Lake Service, Inc.</b> 400 N. Lake Ave. Crandon, WI 54520 (800)278-1254 <a href="http://www.nlslab.com">www.nlslab.com</a>	X	X	X	X	X	X	X	Yes



These laboratories met the Unregulated Contaminant Monitoring Rule 3 (UCMR 3) Laboratory Approval Program application and Proficiency Testing (PT) criteria for the methods indicated. These laboratories can only analyze samples using those methods marked with "X" next to their names. This approved laboratory list is subject to change. Laboratories that withdraw or fail to maintain the method and program quality control requirements will be permanently removed from the list.



Laboratory Name	Assessment Monitoring List 1						Screening Survey List 2	Commercial Service as of July 2016
	EPA 200.8	EPA 218.7	EPA 300.1	EPA 522	EPA 524.3	EPA 537	EPA 539	

**End of List**

The Laboratory Approval Program is voluntary, and is specific to laboratories analyzing samples for UCMR 3. The laboratories' approval status indicates they have demonstrated specific capabilities using the method(s).

Public water systems (PWSs) are responsible for their laboratories, and must ensure they are following the methods and meeting the quality control (QC) criteria specified in UCMR 3. Laboratories must post sample analytical results and required QC data electronically via the Safe Drinking Water Accession and Review System (SDWARS) within 120 days of the sample collection date. EPA may revoke a laboratory's approval status if the laboratory does not adhere to quality assurance/quality control (QA/QC) procedures and criteria, or fails to post data to SDWARS. If EPA revokes approval, the laboratory's name will no longer appear on this list. Once approval has been revoked, the laboratory cannot be re-approved during the UCMR 3 monitoring period.

Questions: UCMR Message Center (800) 949-1581